L Number	Hits	Search Text	DB	Time stamp
•	8	stor\$3 same ((plot near2 (object or data)) and ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/28 10:48
•	. 1	(((print\$2 adj2 language) or PCL or PDL or PJL) near5 (setting near2 data)) with tim\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:46
-	1	2001-151559.NRAN.	DERWENT	2003/11/13 16:46
<u>-</u> :	2	stor\$3 with ((plot near2 (object or data)) and ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:47
•	2	("4974171" "6005680").PN.	USPAT	2003/11/13 16:48
-	1	stor\$3 same ((plot near2 (object or data)) near8 ((print\$2 adj2 language) or PCL or PDL or PJL))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/13 16:49
•	1592	((print\$2 adj language) or PCL or PJL or PDL) same ((plot adj object) or circle or rectangle or dot or line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/02 17:57
-	395	(((print\$2 adj language) or PCL or PJL or PDL) same ((plot adj object) or circle or rectangle or dot or line)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:04
-	162	(stor\$4 with ((plot adj object) or circle or rectangle or dot or line)) same ((print\$2 adj language) or PCL or PJL or PDL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/11/18 16:23
-	61	((stor\$4 with ((plot adj object) or circle or rectangle or dot or line)) same ((print\$2 adj language) or PCL or PJL or PDL)) and 358/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/11/18 14:08
-		("4949188" "4979132" "5309254" "5321532" "5465165" "5671341").PN.	USPAT	2003/11/18 14:31
	10	("5226112" "5307452" "5438653" "5542052" "5600768" "5608848" "5638498" "5659638" "5668931" "5671345").PN.	USPAT	2003/11/18 14:40

		######################################	HEDAT	2003/11/19
-	28	((stor\$4 with ((plot adj object) or circle or	USPAT;	
		rectangle or dot or line)) same ((print\$2 adj	US-PGPUB;	13:31
		language) or PCL or PJL or PDL)) and	EPO; JPO;	
		(print\$2 adj driver)	DERWENT;	
1	40	(IBM_TDB	2002/44/49
-	19	(print\$2 adj driver) same (prevent\$3 near6	USPAT;	2003/11/18
		error)	US-PGPUB;	16:35
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	((stor\$4 with ((plot adj object) or circle or	USPAT;	2003/11/19
		rectangle or dot or line)) same (control	US-PGPUB;	13:41
		near2 language)) and (print\$2 adj driver)	EPO; JPO;	
			DERWENT;	
		_	IBM_TDB	
-	34	(((plot adj object) or circle or rectangle or	USPAT;	2003/11/19
		dot or line) same (control near2 language))	US-PGPUB;	13:54
		and (print\$2 adj driver)	EPO; JPO;	
			DERWENT;	
		· · · · · · · · · · · · · · · · · · ·	IBM_TDB	
-	18	(((plot adj object) or circle or rectangle or	USPAT;	2003/12/15
		dot or line) with (control near2 language))	US-PGPUB;	08:20
		and (print\$2 adj driver)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	101	(((plot adj object) or circle or rectangle or	USPAT;	2004/05/26
		dot or line) with (control near2 (language or	US-PGPUB;	16:02
		element or command))) and (print\$2 adj	EPO; JPO;	
		driver)	DERWENT;	
			IBM_TDB	
-	449	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
		(control near4 (language or command))))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	432	(((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
1		(control near4 (language or command)))))	EPO; JPO;	-
		and printer	DERWENT;	
			IBM_TDB	
-	244	(((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:05
		(control near4 (language or command)))))	EPO; JPO;	
		and 358/\$.ccls.	DERWENT;	
	_		IBM_TDB	
-	0	((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
I		((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command)))	EPO; JPO;	•
		with (plot adj4 object))	DERWENT;	
L			IBM_TDB	

			HODAT	0004/05/00
-	0	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command)))	EPO; JPO;	
		same (plot adj4 object))	DERWENT;	
			IBM_TDB	
•	0	((determin\$3 or analyz\$3 or Judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:06
		(control near4 (language or command))))	EPO; JPO;	
		same (plot adj4 object)	DERWENT;	
			IBM_TDB	
-	32	((determin\$3 or analyz\$3 or judg\$3) with	USPAT;	2004/05/26
		((print\$2 near4 (language or data)) and	US-PGPUB;	16:29
		(control near4 (language or command))))	EPO; JPO;	
		same (text or circle or graphic\$1)	DERWENT;	
			IBM_TDB	
-	458	((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:29
		(language or data)) and (control near4	EPO; JPO;	
		(language or command))))	DERWENT;	
			IBM_TDB	
-	421	plot adj4 object	USPAT;	2004/05/26
			US-PGPUB;	16:30
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
•	2	(((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:31
		(language or data)) and (control near4	EPO; JPO;	
		(language or command))))) and (plot adj4	DERWENT;	
		object)	IBM_TDB	
-	6435162	((plot adj4 object) or (text or dot or line or	USPAT;	2004/05/26
		rectangle or circle))	US-PGPUB;	16:31
			EPO; JPO;	
			DERWENT;	
	230	///determin\$2 or englim\$2 or livde\$2	IBM_TDB	2004/05/20
-	230	((((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/05/26
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:31
		(language or data)) and (control near4 (language or command)))) and (((plot adj4	EPO; JPO; DERWENT;	
		object) or (text or dot or line or rectangle or	IBM_TDB	
		circle)))) and 358/\$.ccls.	1001_106	
	8	("5506946" "5508718" "5546528"	USPAT	2004/05/26
-	"		JOFAI	16:50
		"5915075" "5949427").PN.		10.30
.	348	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
	J-5	transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	10:51
		(print\$3 near3 language)) near10 (host or	EPO; JPO;	.5.01
ø		PC or computer or workstation)) and tim\$3	DERWENT;	
			IBM_TDB	
	L			L

	1			
•	212	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	12:11
1		(print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)) and tim\$3)	DERWENT;	
		and 358/\$.ccls.	IBM_TDB	
-	843	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
-		transmiss\$3) near10 ((print\$3 near3 driver)	US-PGPUB;	11:56
1		or (print\$3 near3 language)) near10 (host or	EPO; JPO;	
		PC or computer or workstation)	DERWENT;	
			IBM_TDB	
-	507	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:57
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
İ	ľ	PC or computer or workstation))	DERWENT;	
			IBM_TDB	
-	222	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
]	transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:57
	1	or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and	DERWENT;	
		358/\$.ccls.	IBM_TDB	
-	399	((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	11:58
]		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
1		PC or computer or workstation))) and tim\$3	DERWENT;	
	200	///	IBM_TDB	0004/05/00
-	208	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/05/28
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	12:05
		or (print\$3 near3 language)) adj10 (host or PC or computer or workstation))) and	EPO; JPO;	
		tim\$3) and 358/\$.ccls.	DERWENT;	
	111	(((transmit\$4 or send\$3 or communicat\$3 or	IBM_TDB USPAT;	2004/05/28
_		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	15:18
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	15:10
		PC or computer or workstation))) and	DERWENT:	
	!	tim\$3) and 358/1.15.ccls.	IBM_TDB	
	4	("5031115" "5075875" "5228118"	USPAT	2004/05/28
	*	"5353388").PN.	30FA1	12:11
	47	(((transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/06/01
		transmiss\$3) near10 (((print\$3 near3 driver)	US-PGPUB;	10:21
		or (print\$3 near3 language)) adj10 (host or	EPO; JPO;	
		PC or computer or workstation))) and tim\$3	DERWENT;	
		and error\$1) and 358/1.15.ccls.	IBM_TDB	
-	268	(convert\$3 or convers\$3) with ((printer adj	USPAT:	2004/06/01
		language) or PCL or PJL or PDL) with	US-PGPUB;	10:28
		format	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	51	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
1		language) or PCL or PJL or PDL) with	US-PGPUB;	10:23
		format) and (error near6 (information or	EPO; JPO;	
		message or alert))	DERWENT;	
		- "	IBM_TDB	
·	L			

	1			
-	807	(convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
İ		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:28
		format	EPO; JPO;	
1			DERWENT;	
		·	IBM_TDB	
-	424	(transmit\$4 or send\$3 or communicat\$3 or	USPAT;	2004/06/01
"		transmiss\$3) near10 (PCL or PDL or PJL or	US-PGPUB;	10:29
1		(print\$3 near3 language)) near10 (host or	EPO; JPO;	10.23
		1 "		
	1	PC or computer or workstation)	DERWENT;	
			IBM_TDB	
-	65	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:29
		format) and ((transmit\$4 or send\$3 or	EPO; JPO;	•
		communicat\$3 or transmiss\$3) near10 (PCL	DERWENT;	
		or PDL or PJL or (print\$3 near3 language))	IBM_TDB	
		near10 (host or PC or computer or		
	,	workstation))		
1.	366	(((determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/06/01
1		distinguish\$3) with ((print\$2 near4	US-PGPUB;	10:34
İ		(language or data)) and (control near4	1	10.54
		, , ,	EPO; JPO;	
		(language or command))))) and (((plot adj4	DERWENT;	
		object) or (text or dot or line or rectangle or	IBM_TDB	
		circle)))		
-	14	((convert\$3 or convers\$3) with ((printer adj	USPAT;	2004/06/01
		language) or PCL or PJL or PDL or PS) with	US-PGPUB;	10:34
	-	format) and ((((determin\$3 or analyz\$3 or	EPO; JPO;	
		judg\$3 or distinguish\$3) with ((print\$2	DERWENT;	
		near4 (language or data)) and (control	IBM_TDB	
		near4 (language or command))))) and (((plot	_	
		adj4 object) or (text or dot or line or		
		rectangle or circle))))		
	16.	((convert\$3 or convers\$3) with ((printer adj	USPAT:	2004/06/02
_	.0	language) or PCL or PJL or PDL or PS) with	US-PGPUB:	13:35
			•	13:35
		format) and ((((determin\$3 or analyz\$3 or	EPO; JPO;	
		judg\$3 or distinguish\$3) with ((print\$2	DERWENT;	•
		near4 (language or data)) and (control	IBM_TDB	:
		near4 (language or command))))))		
-	2	("5838883" "6035103" "2001/0012116"	USPAT	2004/06/01
1		"2001/0012400").PN.	.	10:35
-	0	6687019.URPN.	USPAT	2004/06/01
				10:35
-	97	((convert\$3 or convers\$3) with (print\$2 ad]2	USPAT;	2004/06/02
		(data or job))) with (PS or PCL or PJL)	US-PGPUB;	14:30
,			EPO; JPO;	
			DERWENT;	
	j l		IBM_TDB	
1.	460	(((determin\$3 or analyz\$3 or judg\$3 or	_	2004/06/02
1-	400		USPAT;	2004/06/02
		distinguish\$3) with ((print\$2 near4	US-PGPUB;	16:12
]	(language or data)) and (control near4	EPO; JPO;	
1		(language or command)))))	DERWENT;	
L	<u> </u>		IBM_TDB	

		·		
-	3	(((convert\$3 or convers\$3) with (print\$2	USPAT;	2004/06/02
		adj2 (data or job))) with (PS or PCL or PJL))	US-PGPUB;	14:34
		and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
		distinguish\$3) with ((print\$2 near4	DERWENT;	
	÷	(language or data)) and (control near4	IBM_TDB	
		(language or command))))))		
-	19	(determin\$3 or analyz\$3 or judg\$3 or	USPAT;	2004/06/02
		distinguish\$3) with (error near10 (printer\$2	US-PGPUB;	14:47
		near4 (command or language)))	EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
-	1060	(interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
	i	or language or PCL or PS or PJL or PDL)))	US-PGPUB;	16:13
	i		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	2	{(interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
	_	or language or PCL or PS or PJL or PDL))))	US-PGPUB;	16:13
	1	and ((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
	1	distinguish\$3) with (error near10 (printer\$2	DERWENT;	
		near4 (command or language))))	IBM_TDB	
1_	95	((interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
1 -		or language or PCL or PS or PJL or PDL))))	,	16:15
			US-PGPUB;	10:15
		and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
		distinguish\$3) with ((print\$2 near4	DERWENT;	
		(language or data)) and (control near4	IBM_TDB	
		(language or command)))))		
-	51	(((interpret\$3 with (print\$2 near4 (command	USPAT;	2004/06/02
		or language or PCL or PS or PJL or PDL))))	US-PGPUB;	16:29
		and ((((determin\$3 or analyz\$3 or judg\$3 or	EPO; JPO;	
		distinguish\$3) with ((print\$2 near4	DERWENT;	
		(language or data)) and (control near4	IBM_TDB	
		(language or command))))))) and error		
-	1635	(light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
1		electrode	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	93522	"16" and scanner	USPAT;	2004/06/02
		,	US-PGPUB;	16:30
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	58	((light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
		electrode) and scanner	US-PGPUB;	16:37
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	40	((light near2 emit\$4 near2 chip) and	USPAT;	2004/06/02
		electrode) and (image near2 forming near2	US-PGPUB;	16:37
		(apparatus or device))	EPO; JPO;	,
	i		DERWENT;	
			IBM_TDB	

-	1088	(printer and (wiper near2 blade))	USPAT;	2004/06/02
			US-PGPUB;	17:57
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	495	(printer and (wiper near2 blade) and cap)	USPAT;	2004/06/02
			US-PGPUB;	18:27
			EPO; JPO;	
			DERWENT;	1
			IBM_TDB	
-	2119	printer and transcription	USPAT;	2004/06/02
		F	US-PGPUB;	18:28
	ļ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1_	240	printer near15 transcription	USPAT;	2004/06/02
-	1	printer near to transcription	US-PGPUB;	18:28
				10.20
			EPO; JPO;	
			DERWENT;	
	400		IBM_TDB	
-	102	printer near15 transcription	USPAT;	2004/06/02
	_		US-PGPUB	18:29
-	1	((print\$2 near4 server) same transcription)	USPAT;	2004/06/02
			US-PGPUB	18:30
-	181695	printer sametranscription	USPAT;	2004/06/02
			US-PGPUB	18:30
-	209	printer same transcription	USPAT;	2004/06/02
			US-PGPUB	18:30
-	395	printer same transcription	USPAT;	2004/06/02
			US-PGPUB;	18:35
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	907	printer same multimedia	USPAT;	2004/06/02
			US-PGPUB;	18:33
			EPO; JPO;	
			DERWENT;	
1	1		IBM_TDB	
-	1	(transcription with (print\$2 near4 server))	USPAT;	2004/06/02
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB;	18:34
			EPO; JPO;	
			DERWENT,	
1	1.		IBM_TDB	
-	8	(multimedia with (print\$2 near4 server))	USPAT;	2004/06/02
			US-PGPUB;	18:34
	1		EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	
1.	17	printer same (transcribe\$1 near9 text)	USPAT;	2004/06/02
	l	Fr	US-PGPUB;	18:36
			EPO; JPO;	10.30
			, ,	
	1		DERWENT;	
	L		IBM_TDB	

		_		
-	101	printer and (transcribe\$1 near9 text)	USPAT;	2004/06/02
			US-PGPUB;	18:38
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	49	printer and (transcribe\$1 near9 text) and	USPAT;	2004/06/02
		server	US-PGPUB;	18:40
•			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	147	(facsimile or fax) and (transcribe\$1 near9	USPAT;	2004/06/02
		text)	US-PGPUB;	18:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	6160	(facsimile or fax) and multimedia	USPAT;	2004/06/02
		· ·	US-PGPUB;	18:45
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
1 -	3433	(facsimile or fax) and (multimedia and video	USPAT;	2004/06/02
		and audio)	US-PGPUB;	18:51
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
•	2058	(printing) and (multimedia and video and	USPAT;	2004/06/02
1		audio)	US-PGPUB;	19:06
			EPO; JPO;	,
		0	DERWENT;	
	L		IBM_TDB	